

WIRING DIAGRAM


B3SM Series

7.5 and 10 Ton Air Handler Systems


208-230/460 Volt/Three Phase/60 Hz.

230 VOLTS 460 VOLTS

See
Notes 3
and 4.



Electrical Junction Box (Field Supplied)




Notes:

1. DISCONNECT ALL POWER BEFORE SERVICING.
2. If the wiring is replaced, use only 105 °C Copper wire of the same gauge.
3. Three phase units are factory wired for High voltage operation. Relocation of the internal selector pin at motor terminal base is required for Low voltage application.
4. To reverse rotation interchange any two LINE leads.

208-230 Volt/Single Phase/60 Hz.

Electrical Junction Box (Field Supplied)



Field Wire - - - - -

Factory Wire _____



7102560

WIRING DIAGRAM


B3SM Series

7.5 and 10 Ton Air Handler Systems


208-230/460 Volt/Three Phase/60 Hz.

230 VOLTS 460 VOLTS

See
Notes 3
and 4.



Electrical Junction Box (Field Supplied)




Notes:

1. DISCONNECT ALL POWER BEFORE SERVICING.
2. If the wiring is replaced, use only 105 °C Copper wire of the same gauge.
3. Three phase units are factory wired for High voltage operation. Relocation of the internal selector pin at motor terminal base is required for Low voltage application.
4. To reverse rotation interchange any two LINE leads.

208-230 Volt/Single Phase/60 Hz.

Electrical Junction Box (Field Supplied)



Field Wire - - - - -

Factory Wire _____



7102560

WIRING DIAGRAM


B3SM Series

7.5 and 10 Ton Air Handler Systems


208-230/460 Volt/Three Phase/60 Hz.

230 VOLTS 460 VOLTS

See
Notes 3
and 4.



Electrical Junction Box (Field Supplied)




Notes:

1. DISCONNECT ALL POWER BEFORE SERVICING.
2. If the wiring is replaced, use only 105 °C Copper wire of the same gauge.
3. Three phase units are factory wired for High voltage operation. Relocation of the internal selector pin at motor terminal base is required for Low voltage application.
4. To reverse rotation interchange any two LINE leads.

208-230 Volt/Single Phase/60 Hz.

Electrical Junction Box (Field Supplied)



Field Wire - - - - -

Factory Wire _____



7102560